FORMAT OF CERTIFICATE TO BE ISSUED BY THE DISTRICT EDUCATION OFFICER IN RESPECT OF SCHOOLS ALREADY AFFILIATED WITH THE BOARD AND SEEKING EXTENSION/UPGRADATION OF AFFILIATION WITH THE CENTRAL BOARD OF SECONDARY EDUCATION

(In accordance with School Safety Policy, 2016 issued by the NDMA, Manual on Safety and Security of Children in Schools developed by NCPCR and the National Building Code)

PART-A

(This part is to be filled-up by the school and to be produced before the District Education Officer along with all supporting documents and certificates in original)

GENE	RAL INFORMATION	4
1	Affiliation Number allotted by CBSE to the school:	2730494
2	Name of the School as per affiliation letter of CBSE:	AADHARSIIILA VIDYAPEETH
3	Address of the School:	CD-BLOCK, PITAM PURA
4	Standard/level/class up to which the school is running:	PRESON COASS-XIIIass
5	Is the name and address of school in CBSE affiliation letter and State NOC/Recognition/U-DISE same exactly the same	YES/NO
6	U-DISE code allotted to the school:	07010305401
7	Name and address of the Trust/Society/ Company(under section-8) running the School as on date	VAISH AGGARWAL EDUCATIONAL SUCH
8	Is the Trust/Society/ Company duly registered with the competent registering authority and the registration is valid as on date?	YESIND
9	Purpose of present application:	Extention Opgradation
10	Location of school	In the municipal limits of metropolitan city Y In the municipal limits of city having population more than 15 Lakhs In the hill areas (as perplanning commission norms) In the municipal limits of capital city of a state In the municipal limits of class-x cities On an island In the municipal limits of a hill station

Aadharsnila Vidyapeeth (Recognised) CD-Block, Pitampura, Delhi-110034

Ph 27316362, 27311222

District North West (B) FU-Bik., Pitampura, Delhi-94

(Signature of Principal) UD-Block, Pitampura, Delisi-110034 Ph. 27316362, 27311222

APPENDIX-III

		population less than 15 Lakhs Outside the municipal limits of any town/city.
10	Has the school obtained Recognition Certificate from the State Government from class-1 to 8 th ?	Yes/Np
11	Number of Recognition Certificate from class-1 to 8 th and date of issue:	NO. F. ZXI / NWB/ REC
12	Is the School affiliated to any other board besides CBSE for Class-X or XII examinations?	YZS/NO (If yes name of the Board)
		(Also mention whether the school is affiliated for Class-X or XII)
INFOR	MATION REGARDING LAND DETAILS AND OWNERSHIP	
13	Is the school situated on a single contiguous plot of land bounded on all sides by a Pucca Boundary Wall?	YESHO
14	Are both the School and the Play Ground situated in a single compound bounded by a single continuous Boundary Wall on all sides?	YESNA
15	Total area (in square meters) in respect of 13 and 14 above on which the school is situated:	AREA IN SQ.M. 8 933:25 Sq.m.
16	The land is in the possession of the school/ Trust/Society/Company legally by way of:	Sale/deed/Livease/feed Deed/Alloyment ctu.
17	Name of the Owner/Lessee of the land in respect of point-16 above:	VAISH AGGARWAL EDUC SOCIETY (REGU.)
18	In case the land is in the possession of the society/school by way of lease as per State Government norms, the period of the lease:	PREPETUAL YEARS
19	Is any public road, canal or thorough-fare, HT line etc. passing through the land in respect of point-15 above?	y/s/No If yes the details
INFOR	MATION REGARDING ESSENTIAL SAFETY REQUIREMENTS	
20	Has the school been inspected by the Government engineer and the school building been found structurally safe for running a school?	YESING
20(a)	If yes the date of last inspection:	15.10.2004
21	Has the school been inspected by the officer of Government Fire Department and the school building been declared safe for school from the point of view of fire safety?	YES/NO
21(a)	If yes the date of last inspection:	31.05.2017
22	Has the school compound been checked by the public health department and the health and sanitary conditions been found to be satisfactory and the water has been found safe for drinking?	YESN?

(Signature of Principal)

Aadharsnila Vidyapeeth (Recognised)
CD-Block, Pitampura, Delhi-110634
Ph. 27316362, 27311222

(Signature of D.E.O.)

District North West (B)

FU-Blk., Pitampura, Delhi-34

Andhersnila Vidvapeeth (Recognised) OD-Block, Pitampura, Delhi-110034 Ph. 27316362, 27311222

22(a)	If yes the date of last inspection:	04-06-2019	
57.535	RMATION REGARDING THE STAFF		
23	Does the school have well defined service rules and conditions for its employees as per prevalent norms of appropriate Government?	Yesiyo	
24	Is the school paying salary to the teachers and other employees as per the norms of the appropriate Government?	AES/NO	
25 '	Is the salary to the teachers and other employees of the school being paid through the bank by mode of electronic clearing?	YES/NO	
	(Payment by cheque or cash to the individuals is not allowed)		
26	Is the school paying EPF to the teachers and other employees as per the norms of the appropriate Government? EPF No. 01/25940		
	ASHISH DUTTAP Signature w	and the second second	
	This is to certify that the information above, provided by the school has be all supporting documents & certificates and visiting the school and the information.	en verified on the basis o	
2	Is the school recommended for extension/upgradation of affiliation?	YES/NO extension/upgradation	
	(Nama and	Signature	
	(Name and Stamp of Issuing DEO) DISTRICT EDUCATION OFFICER/NAME OF DISTRICT		
		DDE. Zone-XI District North West (8) 31k, Pitampura, Delhi-	
		Counter Signature	
		23/12/19	

(Signature of Principal)

Aadharsnila Vidyapeeth (Recognised) CD-Block, Pitampura, Delhi-119034 Aadharsnila Vidyapeeth (Recognised) CD-Block, Pitampura, Delhi-110634 Ph 27316362, 27311222 (Signature of Ditte of District North Wast (B)
FU-Blk., Pitampura, Delhi-34

APPENDIX-III

Herrena

Aadharsnila Vidyapeeth (Recognised) CD-Block, Pitampura, Delhi-110634 Ph 27316362, 27311222

(Signature of Principal)

Aadharshia Vidyanash (Recognised) CD-Block, Pitampina, Demi-110034 Ph. 273163cE, 27311222 (Signature of D.E.Q.)

District North V/ast (5) FU-Blk., Pitampura, Delhi-34